



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/664,560	09/17/2003	Howard Thomas Deason	9364	4599

27752 7590 03/31/2010
THE PROCTER & GAMBLE COMPANY
Global Legal Department - IP
Sycamore Building - 4th Floor
299 East Sixth Street
CINCINNATI, OH 45202

EXAMINER

GRAY, JILL M

ART UNIT	PAPER NUMBER
----------	--------------

1782

MAIL DATE	DELIVERY MODE
-----------	---------------

03/31/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/664,560	Applicant(s) DEASON ET AL.	
	Examiner Jill Gray	Art Unit 1794	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 February 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,10-12,14 and 15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,10-12,14 and 15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on February 8, 2010 has been entered.

2. Pursuant to the entry of the amendment of January 4, 2010, the status of the claims is as follows: Claims 1-2, 10-12 and 14-15 are pending. Claim 1 has been amended.

Claim Rejections - 35 USC § 103

3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

4. Claims 1-2, 10-12, and 14-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hartbauer et al., 3,960,272 and 3,912,571 (Hartbauer), for reasons of record.

Hartbauer teaches a rolled multi-ply product of the type contemplated by applicants, comprising a rolled multi-ply fibrous structure having a core end and a tail which is bound to another portion of the multi-ply product by an adhesive, wherein the tail of the multi-ply fibrous structure comprises a consumer accessible tab, as required by claim 1. See Figures 11-15. As to the requirement that at least a portion of the

Art Unit: 1794

consumer accessible tab that is accessible to a consumer is positioned between the tail end of the multi-ply fibrous structure and the tail seal glue, it is the examiner's position that the change in location of the consumer accessible tab within the same general location as the prior art tab and performing the same function as the prior art tab constitutes no more than an unpatentable rearrangement of parts. See MPEP 2144.04. In addition, Hartbauer teaches that the multi-ply fibrous structure is freely convolutedly wound from the core end out to the tail end to form a rolled multi-ply product, the tail is sealed to the fibrous structure with at least a portion of the consumer accessible tab more proximal to the tail end than the adhesive, using an adhesive and that said tab comprises at least two plies bonded together, as required by claims 2 and 14. As to the consumer accessible tab exhibiting a greater bond strength than the ply bond strength throughout the remainder of the multi-ply fibrous structure, it is the position of the examiner that this requirement would have been obvious to one of ordinary skill in this art at the time the invention was made to reduce unraveling of the product by inadvertently pulling the tab during handling such as removing the product from commercial packaging and to provide sufficient pull strength when accessing the tab for consumer use. Regarding claims 10-11, the consumer accessible tab of Hartbauer extends from about the tail end of the fibrous structure along the fibrous structure towards the core end of the multi-ply fibrous structure. Regarding claim 12, Hartbauer specifically teaches that his fibrous structure can be a multi-ply fibrous structure. Accordingly, the examiner has reason to believe that the at least two plies of the multi-ply fibrous structure are bonded together by mechanical and/or chemical and/or

Art Unit: 1794

electrostatic forces in the absence of factual evidence to the contrary. Applicants are invited to provide such evidence. As to claim 15, Hartbauer teaches that the multi-ply fibrous structure can be a sanitary tissue product. See '272 column 12, line 50 and '571, column 12, and line 52.

Accordingly the teaching of Hartbauer would have rendered obvious the invention as claimed in present claims 1-2, 10-12 and 14-15.

5. Claims 1-2, 10-12, and 14-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hartbauer et al., 3,960,272 and 3,912,571 (Hartbauer) as applied above, and further in view of Von Paleske 6,924,042 B2, for reasons of record.

Hartbauer is as set forth above and teaches a rolled multi-ply fibrous product of the type contemplated by applicants. Von Paleske teaches that it is known in the art to form multi-ply products wherein at least two of the plies are bonded together. See abstract and column 2, lines 25-63. Therefore, it would have been obvious to one of ordinary skill in this art, at the time the invention was made to use as the multi-ply fibrous product of Hartbauer, a multi-ply fibrous product of the type taught by Von Paleske and as known in this art, namely, a multi-ply fibrous product wherein the first ply and second ply are bonded together.

Therefore, the combine teachings of Hartbauer and Von Paleske would have rendered obvious the invention as claimed in present claims 1-2, 10-12, and 14-15.

Response to Arguments

6. Applicant's arguments filed January 4, 2010 have been fully considered but they are not persuasive.

Art Unit: 1794

Applicants argue that the prior art does not teach a rolled multi-ply product having a consumer accessible tab wherein at least a portion of the consumer accessible tab that is accessible to a consumer is positioned between the tail end of the multi-ply fibrous structure and the tail seal glue.

In this regard, and as set forth above, it is the examiner's position that the change in location of the consumer accessible tab within the same general location as the prior art tab and performing the same function as the prior art tab constitutes no more than an unpatentable rearrangement of parts. See MPEP 2144.04.

No claims are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jill Gray whose telephone number is 571-272-1524. The examiner can normally be reached on M-Th and alternate Fridays 10:00-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye can be reached on 571-272-3186. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1794

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jill Gray/
Primary Examiner
Art Unit 1794

jmg